# Thomson T-Line Caravans

Clan-Glen-River-Series





# **Clan 1000**

- A Griller/Hotplate
- B Sink
- E Dinette Bed 73" × 46"
  F Single Bed 72" × 24"
  Hammock Above 69" × 22"
- Wardrobe Roof Locker
- M Table Position P Shelf



A lightweight 4-berth with dinettes which convert to a double and single bed with hammock bed above.








#### **Clan 1200**

- A Griller/Hotplate B Sink C Toilet

- E Dinette Bed 73"×46"
- F Single Bed 72"×24" Hammock Above 69"×22"
- Wardrobe
- Roof Locker
- M Table Position
- Shelf



A medium-sized 4/5 berth model with toilet compartment. The centre kitchen is equipped with stainless steel sink/drainer and hot plate griller.








- A Griller/Hotplate B Sink C Toilet


- D Single Bed each 72"×24"
- Single Bed 72"×24" Hammock Above 69"×22"
- Wardrobe Roof Locker
- M Table Position
- P Shelf



A spacious, lightweight 4-berth which can accommodate up to seven with centre kitchen and forward dinette and toilet compartment in







## **Mini Glen**

- A Griller/Hotplate
  B Sink
  C Toilet
  E Dinette Bed 73"×46"
  I Wardrobe
- Roof Locker
- Roof Locker and Shelf
- M Table Position
  N Cabinet



A smaller model yet fully equipped with a dining area which converts to a double bed, plus wardrobe, kitchenette and toilet compartment with plumbed vanity unit.






### Glen 2

- A Griller/Hotplate

- B Sink
  C Toilet
  D Single Bed each 72"×24"
- Wardrobe
- J Roof Locker K Roof Locker and Shelf
- M Table Position
  O Chest of Drawers



All you could need in a small caravan. Twin single beds or a large double bed, spacious wardrobe and a toilet compartment with vanity unit.






#### Glendale

- A Griller/Hotplate B Sink C Toilet


- D Single Bed each 75" × 24"

  I Wardrobe
  J Roof Locker

- J Roof Locker
  K Roof Locker and Shelf
  M Table Position
  N Cabinet for Refrigerator




This roomy 2-berth features an ingenious dinette with alternative table position giving even more space. Rear kitchen, toilet compartment with plumbed vanity





- A Griller/Hotplate
- B Sink C Toilet
- Dinette Bed 73" × 46" E
- F Single Bed 72" × 24"
  Bunk Above 69" × 22"
  I Wardrobe
  J Roof Locker
  K Roof Locker and Shelf

- M Table Position
  P Shelf



A luxurious 4/5 berth with combined stainless steel cooker/sink unit and fitted toilet compartment.









### Avon

- A Griller/Hotplate
- B Sink C Toilet
- E Dinette Bed 73" × 46"
- F Single Bed 72"×24" Bunk Above 69"×22"
- Wardrobe
- J Roof Locker
- M Table Position P Shelf



4/5 berth with dining accommodation which converts to a double bed plus a centre kitchen, fitted toilet compartment and single beds at the rear.







- A Griller/Hotplate
  B Sink
  C Toilet
  D Single Bed each 72"×24"
  E Dinette Bed 73"×45"

- I Wardrobe J Roof Locker K Roof Locker and Shelf
- M Table Position
- P Shelf



4, optional 6, berth. Centre kitchen with combined stainless steel sink/ drainer unit, toilet compartment. Seating at 2 tables with alternative side dinette arrangement.








#### Kelvin

- A Full Oven Cooker
- B Sink
- C Toilet
- D Single Bed each 72" × 24"
- G Settee Bed 72"×46"
- I Wardrobe
- Roof Locker
- K Roof Locker and Shelf
- L Sideboard
- M Table Position
- N Cabinet for Refrigerator
- O Chest of Drawers



Luxurious 4, optional 6, berth. Rear kitchen has oven type cooker and space for fridge. Toilet compartment with fitted vanity unit.



In the 1976 range Thomsons have applied almost seventy years T-Line experience to produce three separate series of caravans to meet the ever-varied needs of the discerning caravanner.

Clan Series—this range of three caravans is a completely new departure for Thomsons, combining high value with low cost. Economy which economises on neither content nor convenience.

The Clan 1000. Designed with the small car owner in mind, this extremely mobile model packs into its 10'5" length and 10 cwt, weight refinements you would only expect to find in larger sized, larger priced caravans.

The 1200 is roomy enough for 4/5 berths, toilet compartment and features a side kitchen with stainless steel sink and hot plate griller. A most popular choice.

The 1500 is so roomy as a 4 berth that it can even convert to an optional 7 berth caravan. Toilet compartment. And, of course, a kitchen with the stainless steel fittings you would expect in a caravan of such style.

The Glen Series adds a new dimension to 2-berth caravanning with such items as plumbed vanity units, easy-wipe vinyl ceilings and tough, tough melamine finished furniture, all offset by new patterned upholstery and highlighted by sparkling stainless steel

kitchen units. Such interiors deserve and get a matching exterior treatment with the sleek lines being emphasised in orange and black, together with a lockable gas chest which even has room for battery storage.

The River Series probably represents one of the biggest advances in caravan styling for 1976. Sleek, thrusting, modern, dynamic, completely in tune with the man who is going places. And you'll go there in comfort with the luxurious 5"mattresses in fawn/tan striped design, deep pile rubber-backed carpeting and with piped water supply to the wash bowls in toilet compartments. Naturally all the experience of T-Line is reflected in the easycare surfaces, stainless steel sinks and hot plates, electric and gas lights and there's even electric pumps for water supply. All River series have a minimum 4-berth capacity with optional 5-berth and, indeed, in the FORTH and KELVIN this can even be increased to 6-berth.

All Thomson caravans incorporate rugged chassis construction with independent suspension and Sigma couplings for easy backing with no baulking.

The issue of this brochure does not constitute an offer and sales are conditional upon terms of business and express warranty issued by the makers of the caravans.

While the information contained in this brochure is correct at September 1975 it may be that, on account of the use of alternative materials or the shortage of supplies, alterations may have to be made to the caravans described in this brochure. Diagram and detailed specifications of each caravan are not to scale.

Particulars of any changes may be obtained from, Thomsons (Carron) Limited, Carron, Falkirk, Scotland.

Phone: Larbert (03245) 2202. Cables: Caravans, Falkirk. Caravan Manufacturers approved by National Caravan Council.



1. Tow-pole fairing.
Styling and protection is enhanced on Glen and River series by tow-pole fairing and lockable gas chest.

2. Rear Panel.
On Glen series reflectors and tail stop lights are incorporated in a distinctive plastic moulding.

3. Window vents.
Maxi control ventilation is provided on Glen and River series by drop-in side window panels.

4. Trim.
Crisp orange walstbands set off exterior styling of Glen and River series.

5. Sink unit.
All ranges feature stainless steel sinks, with combined sink and hot plate unit in the River series.

6. Toilet.
Glen and River series toilet compartments are fitted with personal wash basin and vanity unit.

7. Locker storage.
Bed locker storage space in all models is supplemented by a chest of drawers in the Kelvin.

8. Table positions.
In the Glendale and Forth lavout

Reivin.

8. Table positions.
In the Glendale and Forth layout flexibility is provided by alternative table positions.



TO AND EVEN DEPOSIT.	Contract of the Contract of th	-			-	No.		The state of the s		THE RESERVE OF THE PERSON NAMED IN
T-Line Star Features	Clan 1000	Clan 1200	Clan 1500	Mini Glen	Glen 2	Glendale	Tay	Avon	Forth	Kelvin
B. & B. Independent Suspension	*	*	*	*	*	*	*	*	*	*
Full Frame channel steel chassis	*	*	*	*	*	*	*	*	*	*
Sigma Automatic 'back-up' coupling	*	*	*	*	*	*	*	*	*	*
Fully retractable telescopic jockey wheel	*	*	*	*	*	*	*	*	*	*
Insulated Floor		2		*	*	*	*	*	*	*
Gas cylinder chest and fairing				*	*	*	*	*	*	*
Gas cylinder carrier	*	*	*							
Full road lighting	*	*	*	*	*	*	*	*	*	*
7-Pin Electrical connector	*	*	*	*	*	*	*	*	*	*
Full length rubbing strakes	*	*	*	*	*	*				
Awning channel	*	*	*	*	*	*	*	*	*	*
High gloss pre-painted aluminium panelling	*	*	*	*	*	*	*	*	*	*
Embossed metal stoneguard		5		*	*	*			A	
Anodised aluminium mouldings	*	*	*	*	*	*	*	*	*	*
Accommodation for flued heater	*	*	*	*		*	*	*	*	*
Mineral wool insulation-1" thick (25mm)	*	*	*	*	*	*	*	*	*	*
Piano hinges on all furniture	*	*	*	*	*	*	*	*	*	*
Internal fluorescent lighting				(1) *	(1)★	(1)*x	(1)*	(2)*	(2)*	(2)*
Internal fluorescent wiring	*	*	*	1000		13%		127.11	127.0	(2)
Full gas lighting	(1)*	(1)*	(2)*	(1) *	(3) *	(2)*	(2)*	(2)*	(2)*	(2)*
Water inlet and waste pipe nozzles		1		*	*	*	*	*	*	*
Combined sink/hotplate in stainless steel		1					*	*	*	
Stainless steel sink and drainer	*	*	*	*	*	*			-	*
Stainless steel hotplate	*	*	*	*	*	*				
Electric pump				*	*	*	*	*	*	*
Foot pump	*	*	*							
Tuckaway water faucet	*	*	*	*	*	*	*	*	*	*
Integral frame windows with vent panels				*	*	*	*	*	*	*
Space for optional oven	*	*	*				*	*	*	
Space for optional oven cooker	*	*	*	*	*	*				Fitted
Space for optional 1 cu. ft. refrigerator	*	*	*	*	*	*	*	*	*	*
Deep polyfoam mattresses	*	*	*	*	*	*	*	*	*	*
Deep pile carpet with foam underlay	*	*	*	*	*	*	*	*	*	*
Bottle stowage, crockery rack and cutlery tray		8	. 1	*	*	*	*	*	*	*
Washable vinyl-faced roof panels	*	*	*	*	*	*	*	*	*	*
Vanity unit and washbasin in toilet		6		*	*	*	*	*	*	*
Telescopic faucet in toilet				*	*	*	*	*	*	*
Full compliance with British Standard 4626 (1970) for touring caravans.	*	*	*	*	*	*	*	*	*	*
Overall (shipping) length (including drawbar)	13'4" 4062mm	15'8" 4775mm	16'4" 4985mm	12'5" 3785mm	14'0'' 4265mm	16'3" 4950mm	15'8" 4775mm	16'8" 5080mm	18'4" 5588mm	20'3" 6172mm
Body length	10'5" 3174mm	12'5" 3784mm	15'2" 4622mm	9'7" 2920mm	10'9" 3275mm	12'8" 3860mm	12'3" 3733mm	13'3" 4040mm	15'1" 4600mm	16'10'' 5131mm
Body width	6'5" 1962mm 7'8"	6'8" 2032mm	6'8" 2032mm	6'5" 1956mm	6'6" 1981mm	6'9" 2057mm	6'9" 2060mm	6'9'' 2060mm	6'9" 2060mm	7'3" 2210mm
Overall height	2337mm	2362mm	7'9" 2362mm	7'7" 2310mm	7'8" 2340mm	7'10" 2390mm	7'9'' 2362mm	7'9'' 2362mm	7'9" 2362mm	7'11' 2413mm
Delivered weight (Tolerances 3%)	10 cwt. 510 kgs.	12 cwt. 610 kgs.	13% cwt. 670 kgs.	9% cwt. 490 kgs.	11 cwt. 560 kgs.	12½ cwt. 640 kgs.	13 cwt. 660 kgs.	13% cwt. 700 kgs.	15 cwt. 770 kgs.	18% cwt. 960 kgs.
Maximum authorised gross weight	13% cwt. 685 kgs.	16% cwt. 825 kgs.	19% cwt. 990 kgs.	12 cwt. 610 kgs.	13½ cwt. 685 kgs.	17 cwt. 865 kgs.	17 cwt. 865 kgs.	17¼ cwt. 875 kgs.	20% cwt. 1030 kgs.	23 cwt. 1170 kgs.
Tyre size	5.20×13	5.90×13	6.40×13	5.20×13	5.20×13	5.90×13	5.90×13	5.90×13	6.40×13 (6 ply)	6.40×15 (6 ply)
Tow ball height (middle of ball, car laden)	15%" 395mm	15%"	15%" 395mm	15%" 395mm	15%" 395mm	15½" 395mm	15%"	15½" 395mm	15%" 395mm	15½" 395mm